



Bar System Solution

eXpert line



MODERN
DESIGN



HIGH
QUALITY



RELIABLE
AND DURABLE





Expert Line Bar – where smart function meets modern design

Professional modular bar system with Stalgast quality

Introducing the new Expert Line Bar system, created for professionals who expect reliability, functionality, and exceptional design. Its modular concept makes it a perfect fit for hotel lobbies, restaurants, cocktail bars, coffee shops, retail points, and many other spaces. The solution is the result of Stalgast's long-standing expertise in crafting stainless steel furniture for the food service industry.

Smart bar solution blending style with functionality

Expert Line Bar is based on a modular concept that can be combined in countless configurations. This flexibility allows for the effortless design of both compact service stations and extensive bar setups. Each module has been carefully developed to ensure ergonomic workflow, durability, and a consistent visual style in any arrangement. Thanks to this, the system adapts seamlessly to different spaces, guaranteeing functionality and a professional look wherever it is installed.

A system shaped by bartenders, designed for professionals

Designed to meet the needs of bartenders and created from real industry experience, the Expert Line Bar makes daily work both effective and comfortable. Whether it's a beer and wine dispenser, a soft drink or cocktail station, back bar coolers, or a dedicated washing area – every element is tailored to professional requirements.

The modular system allows you to plan your space with ease, offering the perfect balance between the work space and the service area. You decide how to combine the modules.

Stalgast power of gastronomy

With Stalgast, you gain more than a product – you gain a partner. We provide expert advice, tailored design, and 3D visualizations of your bar before it is built. Every project is customized to match both your needs and the unique character of your space. From choosing the right modules to defining the final setup, we guide you step by step to create the perfect solution.

Expert Line Bar – smart, adaptable, and built for professionals.

Because every bar must reflect its space and optimize both workflow and performance.



The Management Board
of Stalgast sp. z o.o.



We support gastronomy in
ECO style



Polish production,
European quality



>27,500 products
in stock



20,000
pallet spaces



More than 500
employees



98% product
availability

We have been supporting gastronomic businesses in Poland and abroad for **over 35 years!**

As a group of experts in engineering, design, sales, and management, we also serve as your product advisors, culinary specialists, and service technicians. Our business approach to gastronomy aligns with your strive to succeed. Together, we support, cooperate, and build lasting partnerships. We support our customers at every step, from the idea to the fully operational stage, by giving them effective solutions and reliable tools. In cooperation with leading specialists, we produce professional gastronomy equipment and select products from renowned global brands.

We are proud to share our experience and knowledge of gastronomy with you!

Stalgast

Modern Logistics
Center




Polish production

Modern Factory
of Gastronomy Equipment
in Radom.

Our Logistics Center, built in 2018, is one of the largest and most advanced in the industry. We use state-of-the-art equipment and processes to ensure safe and fast deliveries to our domestic and foreign customers.

- 20,000 pallet capacity
- Same-day shipments
- Over 27,500 products in stock
- 10 ramps

Our Research and Development team is committed to the development of our product portfolio and the advancement of product functionalities.



Since 2008, we have been producing gastronomy equipment and accessories. We opened our new factory in Radom in 2020, enhancing our production capabilities and facilitating the adoption of advanced technologies and state-of-the-art manufacturing processes. Our products include commercial kitchen ranges and serving lines, professional dishwashers, kitchen hoods, and stainless steel furniture. We are the only company in Poland that manufactures gastronomic accessories made of plastic, including dishwasher baskets and cutting boards. As a market leader, we have introduced innovative, environmentally friendly solutions in the production of stainless steel furniture, and we are successfully expanding this process to other product ranges.

We work with
220 partners
in over 40 countries




stalgastr.eu




export@stalgastr.com


Expert Line Bar– Smart and flexible


The bar system solution was created with the intention of intuitively composing individual arrangements from our units. Modular systems built from individual units adapt to any space or project. Easy to reconfigure, it enhances functionality whether for new concepts, upgrades, or rearrangements.





An experience focused on functionality and ergonomics





Modules

BR101

OPEN MODULE

- Made of stainless steel
- Adjustable shelf
- Sheet thickness 0.8 mm
- Height 850 mm



Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
400	BR1015040	400	BR1016040
500	BR1015050	500	BR1016050
600	BR1015060	600	BR1016060
700	BR1015070	700	BR1016070
800	BR1015080	800	BR1016080
900	BR1015090	900	BR1016090
1000	BR1015100	1000	BR1016100
1100	BR1015110	1100	BR1016110
1200	BR1015120	1200	BR1016120
1300	BR1015130	1300	BR1016130
1400	BR1015140	1400	BR1016140
1500	BR1015150	1500	BR1016150
1600	BR1015160	1600	BR1016160

BR102

MODULE WITH HINGED DOORS

- Made of stainless steel
- Adjustable shelf
- Sheet thickness 0.8 mm
- Height 850 mm



Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
400	BR1025040	400	BR1026040
500	BR1025050	500	BR1026050
600	BR1025060	600	BR1026060

MODULE WITH TWO HINGED DOORS



Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
700	BR1025070	700	BR1026070
800	BR1025080	800	BR1026080
900	BR1025090	900	BR1026090
1000	BR1025100	1000	BR1026100
1100	BR1025110	1100	BR1026110
1200	BR1025120	1200	BR1026120

BR103

OPEN MODULE FOR SINK OR CHAMBER

- Made of stainless steel
- Module designed for use under a sink basin
- Sheet thickness 0.8 mm
- Height 850 mm



Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
600	BR1035060	600	BR1036060
700	BR1035070	700	BR1036070
800	BR1035080	800	BR1036080
900	BR1035090	900	BR1036090
1000	BR1035100	1000	BR1036100
1100	BR1035110	1100	BR1036110
1200	BR1035120	1200	BR1036120
1300	BR1035130	1300	BR1036130
1400	BR1035140	1400	BR1036140
1500	BR1035150	1500	BR1036150
1600	BR1035160	1600	BR1036160

BR104

OPEN MODULE FOR SINK OR CHAMBER WITH HINGED DOOR

- Made of stainless steel
- Module designed for use under a sink basin
- Sheet thickness 0.8 mm
- Height 850 mm



Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
600	BR1035060	600	BR1036060
700	BR1035070	700	BR1036070

OPEN MODULE FOR SINK OR CHAMBER WITH HINGED DOORS



Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
700	BR1025070	700	BR1026070
800	BR1025080	800	BR1026080
900	BR1025090	900	BR1026090
1000	BR1025100	1000	BR1026100
1100	BR1025110	1100	BR1026110
1200	BR1025120	1200	BR1026120

BR105

CORNER MODULE, OPEN, LEFT



- Made of stainless steel
- Adjustable shelf
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)	
Width W (mm)	Cat. No.
1000	BR1055100
1100	BR1055110
1200	BR1055120

Depth D=600 (mm)	
Width W (mm)	Cat. No.
1000	BR1056100
1100	BR1056110
1200	BR1056120

BR106

CORNER MODULE, OPEN, RIGHT



- Made of stainless steel
- Adjustable shelf
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)	
Width W (mm)	Cat. No.
1000	BR1015040
1100	BR1015050
1200	BR1015060

Depth D=600 (mm)	
Width W (mm)	Cat. No.
1000	BR1016040
1100	BR1016050
1200	BR1016060

BR107

CORNER MODULE WITH HINGED DOORS, LEFT



- Made of stainless steel
- Adjustable shelf
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)	
Width W (mm)	Cat. No.
1000	BR1075100
1100	BR1075110
1200	BR1075120

Depth D=600 (mm)	
Width W (mm)	Cat. No.
1000	BR1076100
1100	BR1076110
1200	BR1076120

BR108

CORNER MODULE WITH HINGED DOORS, RIGHT



- Made of stainless steel
- Adjustable shelf
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)	
Width W (mm)	Cat. No.
1000	BR1085100
1100	BR1085110
1200	BR1085120

Depth D=600 (mm)	
Width W (mm)	Cat. No.
1000	BR1086100
1100	BR1086110
1200	BR1086120

BR109

MODULE WITH TILTING BIN



- 30-degree opening angle
- Bin dimensions 310×355×563 (WxDxH)
- Bin load capacity 40 kg
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
400	BR1095040	400	BR1096040

BR110

MODULE WITH PULL-OUT BASKET



- Basket dimensions 309×430×400 (WxDxH)
- Basket load capacity 40 kg
- Made of stainless steel
- Adjustable shelf
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
400	BR1105040	400	BR1106040

BR111

MODULE WITH A DEFLECTOR AND A PULL-OUT BASKET



- Basket dimensions 309×430×400 (WxDxH)
- Basket load capacity 40 kg
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
400	BR1115040	400	BR1116040

BR112

MODULE



- 6 guides for dishwasher 500×500 baskets
- Distance between guides: 105 mm
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=600 (mm)	
Width W (mm)	Cat. No.
600	BR1126060

Modules

BR113

MODULE WITH DRAWERS FOR 500×500 MM BASKETS FOR DISHWASHERS



- 3 drawers for dishwasher baskets 500×500
- Drawer can be assembled and disassembled without tools
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=600 (mm)	
Width W (mm)	Cat. No.
620	BR1136060

BR114

MODULE WITH GUIDES FOR DISHWASHER BASKETS, WITH LOWERED COUNTERTOP



- 5 guides for dishwasher 500×500 baskets
- Distance between guides: 105 mm
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=600 (mm)	
Width W (mm)	Cat. No.
600	BR1146060

BR115

MODULE WITH HINGED DOORS FOR THE UNIT



- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)	
Width W (mm)	Cat. No.
500	BR1155050

Depth D=600 (mm)	
Width W (mm)	Cat. No.
500	BR1156050

BR116

MODULE WITH SWING DOORS FOR KEGS



- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=600 (mm)	
Width W (mm)	Cat. No.
500	BR1166050
1000	BR1166100

Two kegs	
Depth D=500 (mm)	
Width W (mm)	Cat. No.
500	BR1165050
1000	BR1165100

BR117

MODULE WITH TWO DRAWERS



- 2 drawers with a load capacity of 40 kg each,
- Drawers with heights of 150 and 300 mm
- Drawer can be assembled and disassembled without tools
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
400	BR1175040	400	BR1176040
600	BR1175060	600	BR1176060

BR118

MODULE WITH A BLOCK OF TWO DRAWERS



- 2 drawers, each 200 mm high and with a load capacity of 40 kg
- Drawer can be assembled and disassembled without tools
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
400	BR1185040	400	BR1186040
600	BR1185060	600	BR1186060

BR119

MODULE WITH A BLOCK OF THREE DRAWERS



- 2 drawers with a load capacity of 40 kg each
- Drawers with heights of 150 and 300 mm
- Drawer can be assembled and disassembled without tools
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
400	BR1195040	400	BR1196040
600	BR1195060	600	BR1196060

BR120

MODULE WITH A BLOCK OF FOUR DRAWERS



- 4 drawers, each 100 mm high and with a load capacity of 40 kg
- Drawer can be assembled and disassembled without tools
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
400	BR1205040	400	BR1206040
600	BR1205060	600	BR1206060

BR121

MODULE FOR INSULATED BATHTUB AND BOTTLE SHELF




- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)	
Width W (mm)	Cat. No.
600	BR1215060
800	BR1215080
1000	BR1215100

Depth D=600 (mm)	
Width W (mm)	Cat. No.
600	BR1216060
800	BR1216080
1000	BR1216100

BR123

MODULE WITH RECESS FOR BLENDER, OPEN



- 230 V socket with protective cover
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)	
Width W (mm)	Cat. No.
400	BR1235040
500	BR1235050
600	BR1235060

Depth D=600 (mm)	
Width W (mm)	Cat. No.
400	BR1236040
500	BR1236050
600	BR1236060

BR125

MODULE WITH CASCADE FOR BOTTLES, OPEN



- Steps for 5 bottles
- Step dimensions: 85×65 mm (depth x height)
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
600	BR1255060	600	BR1256060
800	BR1255080	800	BR1256080
1000	BR1255100	1000	BR1256100

BR127

SINK COMPARTMENT 1/3 GN



- Waste bin opening angle: 30°
- Waste bin equipped with damper
- Includes garbage bag holder 30-degree opening angle
- bin dimensions 310×225×338 (WxDxH)
- Bin load capacity 40 kg
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
400	BR1275040	400	BR1276040

BR122

MODULE FOR INSULATED BATHTUB AND BOTTLE SHELF, WITH TWO DRAWERS



- 2 baskets with dimensions: 210/310/410×432×300 mm (WxDxH)
- Each basket load capacity 40 kg
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
600	BR1225060	600	BR1226060
800	BR1225080	800	BR1226080
1000	BR1225100	1000	BR1226100

BR124

MODULE WITH RECESS FOR BLENDER, WITH DRAWER



- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm
- 230 V socket with protective cover
- Pull-out drawer, internal dimensions: 410×432/532×300 mm (WxDxH), max. load capacity of 40 kg

Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
400	BR1245040	400	BR1246040
500	BR1245050	500	BR1246050
600	BR1245060	600	BR1246060

BR126

MODULE WITH AN ICE DRAWER AND TWO CUP DISPENSERS



- Two cup dispensers with plastic cover
- Spring mechanism
- For cups with a diameter of 62 to 92 mm
- Pull-out drawer incl. GN 2/3 container (H. 200 mm)
- with perforated base, max. load capacity of 40 kg
- Drawer can be assembled and disassembled without tools
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
450	BR1265040	450	BR1266040

BR128

MODULE WITH A DRAWER AND FOUR CUP DISPENSERS



- Four cup dispensers with plastic cover
- Spring mechanism
- For cups with a diameter of 62 to 92 mm
- Drawer load capacity of 40 kg
- Drawer can be assembled and disassembled without tools
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
400	BR1285040	400	BR1286040

Modules

BR129

MODULE WITH 4 CUP DISPENSERS



- Four cup dispensers with plastic cover
- Spring mechanism
- For cups with a diameter of 62 to 92 mm
- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

Depth D=500 (mm)		Depth D=600 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
200	BR1295020	200	BR1296020

BR130

MODULE WITH SPACE FOR A BAKING OVEN



- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

BR001**FLAT TOP, WITH A BOX EDGE**

- Made of stainless steel
- Sheet thickness 2 mm
- Countertop height 50 mm
- Box edge with a height of 100 mm



Depth D=600 (mm)	
Width W (mm)	Cat. No.
400	BR0016040
500	BR0016050
600	BR0016060
700	BR0016070
800	BR0016080
900	BR0016090
1000	BR0016100
1100	BR0016110
1200	BR0016120
1300	BR0016130
1400	BR0016140
1500	BR0016150
1600	BR0016160
1700	BR0016170
1800	BR0016180
1900	BR0016190
2000	BR0016200
2100	BR0016210
2200	BR0016220
2300	BR0016230
2400	BR0016240
2500	BR0016250
2600	BR0016260
2700	BR0016270
2800	BR0016280

Depth D=700 (mm)	
Width W (mm)	Cat. No.
400	BR0017040
500	BR0017050
600	BR0017060
700	BR0017070
800	BR0017080
900	BR0017090
1000	BR0017100
1100	BR0017110
1200	BR0017120
1300	BR0017130
1400	BR0017140
1500	BR0017150
1600	BR0017160
1700	BR0017170
1800	BR0017180
1900	BR0017190
2000	BR0017200
2100	BR0017210
2200	BR0017220
2300	BR0017230
2400	BR0017240
2500	BR0017250
2600	BR0017260
2700	BR0017270
2800	BR0017280

FLAT TOP SPLIT, WITH BOX EDGE

Depth D=600 (mm)	
Width W (mm)	Cat. No.
2900	BR0016290
3000	BR0016300
3100	BR0016310
3200	BR0016320
3300	BR0016330
3400	BR0016340
3500	BR0016350
3600	BR0016360
3700	BR0016370
3800	BR0016380
3900	BR0016390
4000	BR0016400
4100	BR0016410
4200	BR0016420
4300	BR0016430
4400	BR0016440
4500	BR0016450
4600	BR0016460
4700	BR0016470
4800	BR0016480
4900	BR0016490
5000	BR0016500
5100	BR0016510
5200	BR0016520
5300	BR0016530
5400	BR0016540
5500	BR0016550
5600	BR0016560
5700	BR0016570
5800	BR0016580

Depth D=700 (mm)	
Width W (mm)	Cat. No.
2900	BR0017290
3000	BR0017300
3100	BR0017310
3200	BR0017320
3300	BR0017330
3400	BR0017340
3500	BR0017350
3600	BR0017360
3700	BR0017370
3800	BR0017380
3900	BR0017390
4000	BR0017400
4100	BR0017410
4200	BR0017420
4300	BR0017430
4400	BR0017440
4500	BR0017450
4600	BR0017460
4700	BR0017470
4800	BR0017480
4900	BR0017490
5000	BR0017500
5100	BR0017510
5200	BR0017520
5300	BR0017530
5400	BR0017540
5500	BR0017550
5600	BR0017560
5700	BR0017570
5800	BR0017580

BR002**FLAT TOP, DRIP EDGE, WITH BOX EDGE**

- Made of stainless steel
- Sheet thickness 2 mm
- Countertop height 50 mm
- Box edge with a height of 100 mm



Depth D=600 (mm)	
Width W (mm)	Cat. No.
400	BR0026040
500	BR0026050
600	BR0026060
700	BR0026070
800	BR0026080
900	BR0026090
1000	BR0026100
1100	BR0026110
1200	BR0026120
1300	BR0026130
1400	BR0026140
1500	BR0026150
1600	BR0026160
1700	BR0026170
1800	BR0026180
1900	BR0026190
2000	BR0026200
2100	BR0026210
2200	BR0026220
2300	BR0026230
2400	BR0026240
2500	BR0026250
2600	BR0026260
2700	BR0026270
2800	BR0026280

Depth D=700 (mm)	
Width W (mm)	Cat. No.
400	BR0027040
500	BR0027050
600	BR0027060
700	BR0027070
800	BR0027080
900	BR0027090
1000	BR0027100
1100	BR0027110
1200	BR0027120
1300	BR0027130
1400	BR0027140
1500	BR0027150
1600	BR0027160
1700	BR0027170
1800	BR0027180
1900	BR0027190
2000	BR0027200
2100	BR0027210
2200	BR0027220
2300	BR0027230
2400	BR0027240
2500	BR0027250
2600	BR0027260
2700	BR0027270
2800	BR0027280

FLAT TOP, DRIP EDGE, SPLIT, WITH BOX EDGE

Depth D=600 (mm)	
Width W (mm)	Cat. No.
2900	BR0026290
3000	BR0026300
3100	BR0026310
3200	BR0026320
3300	BR0026330
3400	BR0026340
3500	BR0026350
3600	BR0026360
3700	BR0026370
3800	BR0026380
3900	BR0026390
4000	BR0026400
4100	BR0026410
4200	BR0026420
4300	BR0026430
4400	BR0026440
4500	BR0026450
4600	BR0026460
4700	BR0026470
4800	BR0026480
4900	BR0026490
5000	BR0026500
5100	BR0026510
5200	BR0026520
5300	BR0026530
5400	BR0026540
5500	BR0026550
5600	BR0026560
5700	BR0026570
5800	BR0026580


Depth D=700 (mm)	
Width W (mm)	Cat. No.
2900	BR0027290
3000	BR0027300
3100	BR0027310
3200	BR0027320
3300	BR0027330
3400	BR0027340
3500	BR0027350
3600	BR0027360
3700	BR0027370
3800	BR0027380
3900	BR0027390
4000	BR0027400
4100	BR0027410
4200	BR0027420
4300	BR0027430
4400	BR0027440
4500	BR0027450
4600	BR0027460
4700	BR0027470
4800	BR0027480
4900	BR0027490
5000	BR0027500
5100	BR0027510
5200	BR0027520
5300	BR0027530
5400	BR0027540
5500	BR0027550
5600	BR0027560
5700	BR0027570
5800	BR0027580

Counter accesories

BR010

SLANTED POOL CHAMBER WITH A PRESSED DISCHARGE OPENING, PE BOARD, AND SPRINKLER

- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 250 mm




Depth D=600 (mm)		Depth D=700 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
400	BR0106040	400	BR0107040
500	BR0106050	500	BR0107050
600	BR0106060	600	BR0107060

BR011

ICE-INSULATED CHAMBER, SPLIT WITH PERFORATED INSERT AND BOTTLE SHELF

- Made of stainless steel
- Sheet thickness 2 mm
- Height 250 mm



Depth D=600 (mm)		Depth D=700 (mm)	
Width W (mm)	Cat. No.	Width W (mm)	Cat. No.
600	BR0116060	600	BR0117060
800	BR0116080	800	BR0117080
1000	BR0116100	1000	BR0117100

BR012

DRAINBOARD WITH PERFORATED INSERT

- Made of stainless steel
- Sheet thickness 2 mm



BR013

DRAINBOARD WITH PERFORATED INSERT AND SPRINKLER

- Made of stainless steel
- Sheet thickness 2 mm



BR014

SINK CHAMBER

- Made of stainless steel
- Sheet thickness 2 mm
- Height 250 mm



BR015

SINK CHAMBER


- Made of stainless steel
- Sheet thickness 2 mm
- Height 250 mm



BR016

SINK CHAMBER


- Made of stainless steel
- Sheet thickness 2 mm
- Height 250 mm



BR017

SINK CHAMBER 1/3 GN SIZE

- Made of stainless steel
- Sheet thickness 2 mm
- Height 150 mm




BR018

SINK CHAMBER 1/2 GN SIZE

- Made of stainless steel
- Sheet thickness 2 mm
- Height 298 mm

Depth D=238 (mm)	
Width W (mm)	Cat. No.
100	BR018010
150	BR018015
200	BR018020



BR019

SINK CHAMBER 2/3 SIZE

- Made of stainless steel
- Sheet thickness 2 mm
- Height 327 mm


Depth D=298 (mm)	
Width W (mm)	Cat. No.
100	BR019010
150	BR019015
200	BR019020



BR020

POOL CHAMBER


- Made of stainless steel
- Sheet thickness 2 mm



Accessories

BR201

PERFORATED HORIZONTAL COVER



- Made of stainless steel
- Sheet thickness 0.8 mm

BR202


FULL HORIZONTAL COVER



- Made of stainless steel
- Sheet thickness 0.8 mm

BR203

SHELF FOR DEVICES TO BE MOUNTED BETWEEN MODULES



- Made of stainless steel
- Sheet thickness 0.8 mm

BR210

BAR PEDESTAL SET



- Made of stainless steel
- Sheet thickness 0.8 mm

BR204

BODY COVER, END COVER




- Made of stainless steel
- Sheet thickness 1.2 mm
- Height 850 mm

Depth D=40 (mm)	
Width W (mm)	Cat. No.
600	BR204601
700	BR204602
700	BR204701
700	BR204702

BR205

SIDE COVER OF THE MODULE



- Made of stainless steel
- Sheet thickness 0.8 mm
- Height 850 mm

BR206


TABLETOP SUPPORT



- Made of stainless steel
- Height 850 mm

BR207

230 V SOCKET MOUNTED IN A BOX EDGE



- 230 V socket with protective cover

BR321

UNDERCOUNTER COOLING BASE WITH 2 CHAMBERS,
ENGINE ROOM ON THE LEFT, 1400 X 540 X 850 MM



BR322

REFRIGERATION BASE WITH 2 CHAMBERS,
ENGINE ROOM ON THE RIGHT, 1400 X 540 X 850 MM



BR331

UNDERCOUNTER COOLING BASE WITH 3 CHAMBERS,
ENGINE ROOM ON THE RIGHT, 1900 X 540 X 850 MM



BR332

UNDERCOUNTER COOLING BASE WITH 3 CHAMBERS,
ENGINE ROOM ON THE LEFT, 1900 X 540 X 850 MM



BR341

UNDERCOUNTER COOLING BASE WITH 4 CHAMBERS,
ENGINE ROOM ON THE LEFT, 2400 X 540 X 850 MM



BR342

UNDERCOUNTER COOLING BASE WITH 4 CHAMBERS,
ENGINE ROOM ON THE RIGHT, 2400 X 540 X 850 MM



Example of modification of a bar product

BR331 - K - BF - AC



Undercounter cool base elements

E

2 SHELVES, ONE ENCLOSED SHELF




C

1 SHELF, TWO ENCLOSED SHELVES



D

THREE ENCLOSED SHELVES



F

TWO ENCLOSED SHELVES




H

TWO SHELVES



C

THREE SHELVES



I

TWO DRAWERS
(DIFFERENT HEIGHTS)



I

TWO DRAWERS
(SAME HEIGHT)



A

SOLID DOOR



L

TWO GLASS-FRONTED DRAWERS
(DIFFERENT HEIGHTS)



K

TWO GLASS-FRONTED DRAWERS
(SAME HEIGHT)



B

GLASS DOORS



A bar space that has been thoughtfully designed.

Stainless steel makes it the perfect choice, bringing together modern aesthetics and easy-to-maintain hygiene.



COCKTAIL BAR

We would like to present some flawless solutions that are a perfect fit for your business.

A modular concept designed for convenience stores, offering flexibility and functionality in any space, no matter how big or small.



CONVENIENCE STORE



**When it is necessary to rearrange
an existing space and increase its functionality.**



BAR STATION



ICE CREAM SHOP

We have selected only a few options.
You can compose your bar however you like, choosing modules
to match your space, and style.

BAR DISPLAY COOLER

- 0°C to +10°C
- Uniform convection cooling
- Self-closing glass doors, lockable
- LED interior lighting
- Automatic defrosting
- Electronic thermostat
- Energy class D
- Climate class 4

No.	Item no.	Shelves	Housing	B mm	T mm	H mm	Inh. Liter	P kW	Volt
1	BE1404600	2	powder-coated steel, black	600	530	835	133	0,110	230
2	BE1404900	2x2	powder-coated steel, black	900	530	835	198	0,130	230
3	BE1404135	2x3	powder-coated steel, black	1350	530	835	308	0,150	230
4	BE1405600	2	stainless steel	600	530	835	133	0,110	230
5	BE1405900	2x2	stainless steel	900	530	835	198	0,130	230
6	BE1405135	2x3	stainless steel	1350	530	835	308	0,150	230
7	BE1406900	2x2	powder-coated steel, black	900	530	835	198	0,130	230
8	BE1406135	2x3	powder-coated steel, black	1350	530	835	308	0,150	230



1



2



3



4



5



6



7



8

DEEP FREEZER

- -10°C to -18°C
- Stainless steel housing
- Uniform, static deep-freezing
- Self-closing, lockable door
- Includes 3 fixed freezer shelves
- Automatic defrosting
- Electronic control with temperature display
- Energy class A
- Climate class 4

No.	Item no.	Owner Liters Gross/net	B mm	T mm	H mm	Inh. Liter	P kW	Volt
1	KT1402120	129/78 Liter	600	585	855	129	0,105	230




ICE CUBER AND ICE FLAKE MAKER

- Integrated, easy-to-clean storage container HCFC-free
- RoHS-compliant
- Fixed water connection and water drain required
- Without drain pump
- Ice cube maker with patented spray system and air-cooled
- BE1801021: ABS plastic housing
- BE1802021, BE2101090: Stainless steel housing

No.	Item no.	Product	M kg/24h	Storage tank kg	B mm	T mm	H mm	P kW	Volt
1	BE1801021	Hollow cube, 13 g	up to 21	4	355	404	590	0,32	230
2	BE1802021	Hollow cube, 13 g	up to 21	4	355	404	590	0,32	230
3	BE2101090	Ice flakes	up to 113	20	500	660	800	0,55	230



This image shows a full page of blank graph paper. The grid consists of thin, light gray horizontal and vertical lines that intersect to form small squares across the entire surface. There are no margins, text, or other markings on the paper.



This image shows a full page of blank graph paper. The grid consists of thin, light gray horizontal and vertical lines that intersect to form small squares across the entire surface. There are no margins, text, or other markings on the paper.



All products included in the catalog comply with the applicable European CE directives.



All materials and articles intended to come into contact with food comply with the legal requirements of Regulation (EC) No. 1935/2004 of the European Parliament and of the Council of October 27, 2004.

With the publication of a new flyer, all conditions stated in our previous editions lose their validity. The products in the flyer may be replaced without notice by other products that are not inferior in quality.

Product details are subject to change without prior notice. Errors, misprints, and product availability reserved. The photos in the flyer are for illustrative purposes only, and the products shown may differ from the actual products. Delivery does not include decoration.

Product descriptions, illustrations, and all other information in the flyer are subject to change without notice. Device weights are specified without packaging and without transport equipment (Euro pallet, disposable pallet). Subject to technical changes.

The contents usually refer to a full filling. Exact details must be confirmed by sample submission and consultation. Illustrations and flyer are protected by copyright; reproduction is only permitted with our written consent. The customer is responsible for the calibration of measuring devices used for commercial purposes. Aluminum products are not dishwasher safe.

Our General Terms and Conditions apply and can be found at <https://www.stalgast.com>.



Contact us



Stalgast sp. z o. o.
Promenada Business Center
ul. Ostrobramska 75C, 6.02
04-175 Warsaw, Poland



stalgast.eu
E-mail:
[stalgast@stalgast.com](mailto:stalga<u>st</u>@stalga<u>st</u>.com)

BAREN_2025_10_02

